

COYOTE POWER PLANT

LIGNITE ENERGY COUNCIL PLANT UPDATE






- The employees have achieved over 2.8 million hours worked without a lost time incident over a span of 17 years.
- Last lost time incident was August of 2000.
- 2016 OSHA rate of 1.245
- NDSC Occupational Safety Merit Award Below National OSHA rate
- 2016 Distinguished Safety Award from the LEC
- Our emphasis this year is "Continuous Improvement" and keeping Safety as a Core Value.

COYOTE INFORMATION




- 37th year of operation
- 427 Net MW rating
- Current Staff 82
- Ownership
 - Otter Tail Power 35%
 - Northern Municipal Power Agency 30%
 - MDU 25%
 - Northwestern Corporation 10%

Generation & Coal



O&M And Capital Expenditures



■ O&M minus Fuel ■ Capital


Outage Schedule

- **2017**
 - December 8 10 (Wash)



2018

- March 2 4 (Wash)
- June 1 7 (7-day spring outage)
- Sept 17 19 (Wash)
- Dec 7 9 (Wash)



2018 Capital Projects

- Dust Collection Upgrades
- CCR compliance
- OPGW Microwave System (MDU)
- Roof Replacement
- CEMS Analyzer
- Coal System Fire Detection
- Online Coal Analyzer
- Critical Valve Replacement
- Mist Eliminators
- Main Station sump pump (40 Hp)



2018-19 Capital Projects

- GSU Installation
- Condenser Butterfly Valve replacements
- Baghouse bag replacement
- Online coal analyzer
- Critical Valve replacement
- Pit Expansion
- Front End Loader
- HVAC upgrades



Key Personnel at Coyote



- Brad Zimmerman, Plant Manager
- Maverick Thompson, Principal Engineer, Engineering/Operations

- Mike Ginther, Operations Supervisor
- Brad Klipfel, Mechanical Supervisor

Key Personnel at Coyote



- Jay Werre, E & I Supervisor
- Eric Bothun, Fuel & Grounds Supervisor

- Alex Dschaak, Business Supervisor
- Tammy Klatt, Accounting Assistant/Buyer

Thank you!

Thank you to all our suppliers, contractors and the Lignite Energy Council.

